## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

AMENDED REPORT

					DIVISION O		GAS AND M				AWENDED REP	ORI		
APPLICATION FOR PERMIT TO DRILL								1. WELL NAME and NUMBER GMBU A-33-8-17						
2. TYPE OF WORK  DRILL NEW WELL REENTER P&A WELL DEEPEN WELL DEEPEN WELL							3. FIELD OR WILDCAT  MONUMENT BUTTE							
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO							5. UNIT OF COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)							
6. NAME OF OPERATOR  NEWFIELD PRODUCTION COMPANY								7. OPERATOR PHONE 435 646-4825						
8. ADDRE	SS OF OPERAT	OR	Rt 3 Box 363	0 , Myto	on, UT, 84052					9. OPERATOR E-MAIL mcrozier@newfield.com				
	AL LEASE NUM				1. MINERAL OWNERS	SHIP				12. SURFACE OWNERSHIP				
(FEDERAL, INDIAN, OR STATE) UTU-76241 FEDERAL INDIAN					DIAN (	) STATE (				EE 💭				
13. NAME OF SURFACE OWNER (if box 12 = 'fee')									14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDR	ESS OF SURFA	CE OWNER (if box	12 = 'fee')							16. SURFACE OWNER E-MAIL (if box 12 = 'fee')				
	N ALLOTTEE O	R TRIBE NAME			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS					19. SLANT				
(if box 12	! = 'INDIAN')				YES (Submit Commingling Application) NO				)	VERTICAL DIRECTIONAL HORIZONTAL				
20. LOC	ATION OF WELL			F00 <sup>-</sup>	TAGES	Q.	TR-QTR	SECTION		TOWNSHIP	RANGE	Мі	ERIDIAN	
LOCATIO	N AT SURFACE		68	85 FNL	IL 902 FWL		NWNW	34		8.0 S	17.0 E		S	
Top of U	ppermost Prod	ucing Zone	38	82 FNL	L 331 FWL		WNW	34		8.0 S	17.0 E		S	
At Total	Depth		1	15 FNL	L 137 FEL		NENE 33			8.0 S	17.0 E	17.0 E		
21. COUN	ITY	DUCHESNE		2	22. DISTANCE TO NEAREST LEASE LINE (Feet)				23. NUMBER OF ACRES IN DRILLING UNIT					
				5. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 1040				<b>26. PROPOSED DEPTH</b> MD: 6288 TVD: 6156						
27. ELEV	ATION - GROUN	D LEVEL		2	28. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE				
		5104			WYB000493					437478				
0.1		0 1 01			Hole, Casing	-								
String Surf	Hole Size	Casing Size 8.625	0 - 300	Weig 24.			8.3	ud Wt.		Cement Class G	138		Weight 15.8	
Prod	7.875	5.5	0 - 6288	15.			8.3		Premium Lite High Strength				11.0	
									50/50 Poz		363		14.3	
					A	TTAC	HMENTS							
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES														
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					COMPLETE DRILLING PLAN									
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					<b>✓</b> TOPOGRAPHICAL MAP									
NAME Heather Calder TITLE Production Tech				chnician	ician			PHONE 435 646-4936						
SIGNATURE				DATE 08/22/2013					EMAIL hcalder@newfield.com					
API NUMBER ASSIGNED 43013524040000					APPROVAL Permit Manager									
					refinit wanager									

## T8S, R17E, S.L.B.&M.

## S89°09'07"W of Hole S89°11'52"W - 2643.60' (Meas.) 2644.55' (Meas.) Brass Cap 1910 1910 Brass Cap Brass Cap Center of Pattern 902 2619.38 Top of Hole WELL LOCATION: A-33-8-17 ELEV. EXIST. GRADED GROUND = 5104' 1910 Brass Cap Brass Cap 1910 1910 Brass Cap Brass Cap Brass Cap N88°17'42"E - 2637.22' (Meas.) N89°01'56"E - 2641.93' (Meas.)

= SECTION CORNERS LOCATED

Bottom

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (CENTER OF PATTERN)	NAD 83 (SURFACE LOCATION)
LATITUDE = $40^{\circ}04'51.84''$	LATITUDE = 40°04'47.33"
LONGITUDE = 110°00'06.61"	LONGITUDE = 109°59'55.96"
NAD 27 (CENTER OF PATTERN)	NAD 27 (SURFACE LOCATION)
LATITUDE = 40°04'51.98" LONGITUDE = 110°00'04.08"	LATITUDE = 40°04'47.47" LONGITUDE = 109°59'53.43"


## NEWFIELD EXPLORATION COMPANY

WELL LOCATION, A-33-8-17, LOCATED AS SHOWN IN THE NW 1/4 NW 1/4 OF SECTION 34, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



#### NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 230' FNL & 73' FWL.



## TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 01-16-13	SURVEYED BY: M.C.	VERSION:
DATE DRAWN: 06-17-13	DRAWN BY: L.K.	\/0
REVISED:	SCALE: 1" = 1000'	V Z

# T8S, R17E, S.L.B.&M.


## NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, A-33-8-17, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 33, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.

## 00 of Hole 500, $\overline{}$ BAR SCALE

### NOTES:


- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Bottom of Hole footages are 115' FNL & 137' FEL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 01-16-13	SURVEYED BY: M.C.	VERSION:	
DATE DRAWN: 06-17-13	DRAWN BY: L.K.	\/0	
REVISED:	SCALE: 1" = 1000'	V Z	





SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (BOTTOM HOLE LOCATION) LATITUDE = 40°04'52.98" LONGITUDE = 110°00'09.31" NAD 27 (BOTTOM HOLE LOCATION) LATITUDE = 40°04'53.12" LONGITUDE = 110°00'06.77'